

FARECLA PROFILE EXTRA COARSE CUT PASTE COMPOUND

Page: 1

Compilation date: 11/08/2015

Revision date: 21/05/2019

Revision No: 5

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: FARECLA PROFILE EXTRA COARSE CUT PASTE COMPOUND

Product code: PRE301

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC31: Polishes and wax blends.

1.3. Details of the supplier of the safety data sheet

Company name:	Farecla Products Limited
	Broadmeads
	Ware
	Hertfordshire
	SG12 9HS
	UK
Tel:	+44 (0)19 2046 5041 (8:30-16:30 Monday to Friday)
Fax:	+44 (0)19 2046 6557
Email:	technical@farecla.com

1.4. Emergency telephone number

Emergency tel: +44 (0)20 7188 0300 (24 hours)

Section 2: Hazards identification

2.1. Classification of the subst	ance or mixture
Classification under CLP:	-: EUH208
Most important adverse effects:	Contains 1,2-benzisothiazolin-3-one, a mixture of: 5-chloro-2-methyl-2h-isothiazol-3-one
	[ec no 247-500-7] and 2-methyl-2h-isothiazol-3-one [ec no 220-239-6]. May produce an
	allergic reaction.
2.2. Label elements	
Label elements:	
Hazard statements:	EUH208: Contains 1,2-benzisothiazolin-3-one, a mixture of: 5-chloro-2-methyl-2h-
	isothiazol-3-one [ec no 247-500-7] and 2-methyl-2h-isothiazol-3-one [ec no 220-239-6].
	May produce an allergic reaction.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

FARECLA PROFILE EXTRA COARSE CUT PASTE COMPOUND

Page: 2

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ALUMINIUM OXIDE - REACH registered number(s): 01-2119529248-35-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent	
215-691-6	1344-28-1	Substance with a Community	-	50-70%	
		workplace exposure limit.			

WHITE MINERAL OIL (PETROLEUM) - REACH registered number(s): 01-2119487078-27-XXXX

232-455-8 8042-47-5 - Asp. Tox. 1: H304 10-30%	,
--	---

1,2-BENZISOTHIAZOLIN-3-ONE

220-120-9	2634-33-5	-	Acute Tox. 4: H302; Skin Irrit. 2: H315;	<0.1%
			Eye Dam. 1: H318; Skin Sens. 1:	
			H317; Aquatic Acute 1: H400	

A MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO 220-239-6]

-	55965-84-9	-	Acute Tox. 3: H331; Acute Tox. 3: H311;	<0.1%
			Acute Tox. 3: H301; Skin Corr. 1B:	
			H314; Skin Sens. 1: H317; Aquatic	
			Acute 1: H400; Aquatic Chronic 1:	
			H410	

Contains: Aluminium oxide

White mineral oil (petroleum)

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Not applicable.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

FARECLA PROFILE EXTRA COARSE CUT PASTE COMPOUND

Page: 3

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Wash the spillage site with large amounts of water.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid the formation or spread of dust in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ALUMINIUM OXIDE

FARECLA PROFILE EXTRA COARSE CUT PASTE COMPOUND

Page: 4

Workplace exposure limits:		Respirable dust		
8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL	
-	-	5mg/m3	-	
AL OIL (PETROLEUM)				
5 mg/m3	-	-	-	
: 5-CHLORO-2-METHYL-	2H-ISOTHIAZOL-3-ONE [E	C NO 247-500-7] AND 2-METH	HYL-2H-ISOTHIAZOL-3-ON	
0.05 mg/m3	-	-	-	
redients:				
	8 hour TWA - AL OIL (PETROLEUM) 5 mg/m3 : 5-CHLORO-2-METHYL- 0.05 mg/m3 es	8 hour TWA 15 min. STEL - - AL OIL (PETROLEUM) - 5 mg/m3 - : 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE [E 0.05 mg/m3 -	8 hour TWA 15 min. STEL 8 hour TWA - - 5mg/m3 AL OIL (PETROLEUM) 5 mg/m3 - - 5 mg/m3 - - - 5 S mg/m3 - - - : 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO 247-500-7] AND 2-METH 0.05 mg/m3 - 0.05 mg/m3 - - -	

1,2-BENZISOTHIAZOLIN-3-ONE

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation (developmental tox)	111	Consumers	Systemic

8.2. Exposure controls

Engineering measures: Not applicable.

Respiratory protection: Respiratory protective device with particle filter.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Environmental: No special requirement.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Paste	
Colour:	Off-white	
Odour:	Perceptible odour	
Evaporation rate:	Negligible	
Oxidising:	Non-oxidising (by EC criteria)	
Solubility in water:	Slightly soluble	
Also soluble in:	No data available	
Viscosity:	Highly viscous	
Kinematic viscosity:	>50000	
Viscosity test method:	Brookfield @ 20degC	
Boiling point/range℃:	Not Available Melting point/range °C:	Not Available
Flammability limits %: lower:	Not Available upper:	Not Available
Flash point ℃:	>93 Part.coeff. n-octanol/water:	Not Available
Autoflammability℃:	Not Available Vapour pressure:	Not Available
Relative density:	1.57	

FARECLA PROFILE EXTRA COARSE CUT PASTE COMPOUND

Page: 5

pH: 9.6 **VOC g/I:** 0 9.2. Other information Other information: Not applicable. Section 10: Stability and reactivity 10.1. Reactivity Reactivity: Stable under recommended transport or storage conditions. 10.2. Chemical stability Chemical stability: Stable under normal conditions. 10.3. Possibility of hazardous reactions Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below. 10.4. Conditions to avoid Conditions to avoid: Heat. 10.5. Incompatible materials Materials to avoid: Strong oxidising agents. Strong acids. 10.6. Hazardous decomposition products Haz. decomp. products: In combustion emits toxic fumes. Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ALUMINIUM OXIDE

DUST/MIST	RAT	LC50	7.6	mg/l
ORAL	RAT	LD50	> 2000	mg/kg

1,2-BENZISOTHIAZOLIN-3-ONE

ORL	MUS	LD50	1150	mg/kg
ORL	RAT	LD50	1020	mg/kg

A MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO 220-239-6]

ORL MUS LD50	60 mg/kg	
--------------	----------	--

FARECLA PROFILE EXTRA COARSE CUT PASTE COMPOUND

LD50

	Page	: 6
53	mg/kg	

Toxicity values: No data available.

RAT

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Not applicable.

Other information: Not applicable.

Section 12: Ecological information

Symptoms / routes of exposure

12.1. Toxicity

ORL

Hazardous ingredients:

ALUMINIUM OXIDE

Daphnia magna	48H EC50	> 100	mg/l
GREEN ALGA (Selenastrum capricornutum)	48H EC50	> 100	mg/l
Salmo trutta	96H LC50	> 100	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: No data available.

Recovery operations: Not applicable.

Waste code number: 08 04 12

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

FARECLA PROFILE EXTRA COARSE CUT PASTE COMPOUND

Page: 7

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 * indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and s.3: EUH208: Contains 1,2-benzisothiazolin-3-one, a mixture of: 5-chloro-2-methyl-2hisothiazol-3-one [ec no 247-500-7] and 2-methyl-2h-isothiazol-3-one [ec no 220-239-6]. May produce an allergic reaction. H301: Toxic if swallowed. H302: Harmful if swallowed. H304: May be fatal if swallowed and enters airways. H311: Toxic in contact with skin. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H331: Toxic if inhaled. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.